

ABSTRAK

HUBUNGAN DERAJAT DISPEPSIA DENGAN KUALITAS HIDUP PADA PENDERITA DISPEPSIA DI RSUP M.DJAMIL PADANG PADA TAHUN 2011

OLEH :

MERRY CARDINA

Dispepsia adalah kumpulan gejala di saluran makanan dengan keluhan nyeri perut atas, pedih, mual yang kadang – kadang disertai dengan muntah , rasa panas di dada dan perut, lekas kenyang, anoreksi, kembung, regurgitasi, banyak mengeluarkan gas masam dari mulut. Kualitas hidup merupakan kemampuan fungsional seseorang sebagai respon terhadap penyakit dan pengobatan. Dispepsia merupakan salah satu masalah pencernaan yang paling sering ditemukan dan mempengaruhi kualitas hidup. Namun sebagian besar penderita masih mengabaikan dan tidak mengobati dispepsia. Tujuan penelitian ini adalah untuk melihat hubungan derajat dispepsia dengan kualitas hidup pada penderita dispepsia di RSUP M DJamil Padang pada tahun 2011.

Penelitian ini dilakukan dengan metode cross sectional dengan teknik pengambilan sampel secara total sampling sebanyak 41 orang. Data diolah dan dianalisa dengan menggunakan program komputer SPSS for windows 17 dengan uji statistik chi – square.

Hasil analisis univariat menunjukkan frekuensi penderita dispepsia terbanyak adalah dispepsia sedang sebanyak 58,5% dan kualitas hidup penderita dispepsia terbanyak adalah kualitas hidup buruk sebanyak 56,1%. Hasil analisis bivariat secara umum menunjukkan ada hubungan bermakna secara statistik derajat dispepsia dengan kualitas hidup pada penderita dispepsia.

Kata kunci : dispepsia, kualitas hidup

ABSTRACT

THE CORRELATION BETWEEN DYSPEPSIA AND QUALITY OF LIFE IN PATIENTS WITH DYSPEPSIA DR.M.DJAMIL PADANG HOSPITAL IN 2011

BY:

MERRY CARDINA

Dyspepsia is a collection of symptoms on the gastrointestinal with upper abdominal pain, poignant, nausea, sometimes accompanied by vomiting, burning sensation in the chest and abdomen, early satiety, anorexia, bloating, regurgitation, and a lot of sour gas issuing from the mouth. Quality of life is a human functional abilities as a response to disease and curing. Dyspepsia is one of the most common digestive problems are found and affects the quality of life. But mostly, people still ignore and do not treat the dyspepsia. The goal of this research is to seeing the degree of dyspepsia relationship with quality of life in patients with dyspepsia in Dr M Djamil Padang in 2011.

This research was conducted by cross sectional sampling technique with the total of sample as many as 41 people. The data was processed and analyzed using the computer program SPSS for windows 17 with the statistical test Chi - Square.

The result of univariate analysis showed that the highest frequency of dyspeptic patients are 58,5 persen and their life's quality is mostly categorized as poor life as much as 56,1 persen. The result of the bivariate generally showed that there was no statistically significant relationship with the degree of dyspepsia with their life's quality in patients with dyspepsia.

Keywords: dyspepsia, quality of life

