

Home

Journal Rankings

Journal Search

Country Rankings

Country Search


Compare

Map Generator

Help

About Us

Show this information in
your own website



Display journal title

Just copy the code below and paste within your html page:

<a href="http://www.scimagojr.com

Journal Search

Search query

in **Journal Title**

Exact phrase

International Journal of Earth Sciences and Engineering

Country: **India**

Subject Area: **Earth and Planetary Sciences | Engineering | Environmental Science**

Subject Category:

Category	Quartile (Q1 means highest values and Q4 lowest values)															
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Building and Construction													Q4	Q4	Q4	Q4
Civil and Structural Engineering													Q4	Q4	Q4	Q4
Earth and Planetary Sciences (miscellaneous)													Q4	Q3	Q3	Q3
Environmental Engineering													Q4	Q4	Q4	Q4
Ocean Engineering													Q4	Q3	Q3	Q3

Publisher: Cafet-Innova Technical Society. Publication type: Journals. ISSN: 09745904

Coverage: 2010-2014

H Index: 4

Charts

Data

SJR indicator vs. Cites per Doc (2y)

Related product



@scimago

SJR is developed by:



Powered by
Scopus

The SJR indicator measures the scientific influence of the average article in a journal, it expresses how central to the global scientific discussion an average article of the journal is. Cites per Doc. (2y) measures the scientific impact of an average article published in the journal, it is computed using the same formula that journal impact factor™ (Thomson Reuters).

Citation vs. Self-Citation

February 2016

Volume 09 No 01

ISSN 0974-5904

INTERNATIONAL JOURNAL OF EARTH SCIENCES AND ENGINEERING

Indexed in: Scopus Compendex and Geobase (products hosted on Engineering Village)
Elsevier, Amsterdam, Netherlands, Geo-Ref Information Services-USA, List B of Scientific
Journals in Poland, Directory of Research Journals
SJR: 0.17 (2014); H-index: 4 (2014);
CSIR-NISCAIR, INDIA Impact Factor 0.042 (2011)

EARTH SCIENCE FOR EVERYONE

SPECIAL ISSUE OF International Conference on Innovative Trends in Civil Engineering for Sustainability

(ICICES 2016) 8 - 9 January, 2016

Organized by

Toc H Institute of Science and Technology (TIST), Ernakulam, Kerala, INDIA

In Technical Collaboration with

CAFET INNOVA Technical Society (CITS), Hyderabad, Telangana, INDIA



Published by

CAFET-INNOVA Technical Society

Hyderabad, INDIA

<http://cafetinnova.org/>

CAFET-INNOVA Technical Society

1-2-18/103, Mohini Mansion, Gagan Mahal Road, Domalguda

Hyderabad – 500 029, Andhra Pradesh, INDIA

Website: <http://www.cafetinnova.org>

Mobile: +91-7411311091

Registered by Government of Andhra Pradesh

Under the AP Societies Act., 2001

Regd. No.: 1575

The papers published in this journal have been peer reviewed by experts. The authors are solely responsible for the content of the papers published in the journal.

Each volume, published in six bi-monthly issues, begins with February and ends with December issue. Annual subscription is on the calendar year basis and begins with the February issue every year.

Note: Limited copies of back issues are available.

Copyright © 2015 CAFET-INNOVA Technical Society

All rights reserved with CAFET-INNOVA Technical Society. No part of this journal should be translated or reproduced in any form, Electronic, Mechanical, Photocopy, Recording or any information storage and retrieval system without prior permission in writing, from CAFET-INNOVA Technical Society.

INTERNATIONAL JOURNAL OF EARTH SCIENCES AND ENGINEERING

The International Journal of Earth Sciences and Engineering (IJEE) focus on Earth sciences and Engineering with emphasis on earth sciences and engineering. Applications of interdisciplinary topics such as engineering geology, geo-instrumentation, geotechnical and geo-environmental engineering, mining engineering, rock engineering, blasting engineering, petroleum engineering, off shore and marine geo-technology, geothermal energy, resource engineering, water resources and engineering, groundwater, geochemical engineering, environmental engineering, atmospheric Sciences, Climate Change, and oceanography. Specific topics covered include earth sciences and engineering applications, RS, GIS, GPS applications in earth sciences and engineering, geo-hazards such as earthquakes, landslides, tsunami, debris flows and subsidence, rock/soil improvements and development of models validations using field, laboratory measurements.

Professors / Academicians / Engineers / Researchers / Students can send their papers directly to: chiefeditor_ijee@yahoo.com

CONTACT:

For all editorial queries:

D. Venkat Reddy (Editor-in-Chief)

Professor, Department of Civil Engg.

NIT-Karnataka, Surathkal, INDIA

☎ +91-9739536078

✉ dvr1952@gmail.com

All other enquiries:

Hafeez Basha. R (Managing Editor)

☎ +91-9866587053

✉ hafeezbasha@gmail.com

Raju Aedla (Editor)

☎ +91-7411311091

✉ rajucits@gmail.com

EDITORIAL COMMITTEE**D. Venkat Reddy***NITK, Surathkal, Karnataka, INDIA*

EDITOR-IN-CHIEF

Trilok N. Singh*IIT-Bombay, Powai, INDIA*

EXECUTIVE EDITOR

P. Ramachandra Reddy*Scientist G (Retd.), NGRI, INDIA*

EXECUTIVE EDITOR

R. Pavanaguru*Professor (Retd.), OU, INDIA*

EXECUTIVE EDITOR

Joanna Maria Dulinska*Cracow University of Tech., Poland*

EXECUTIVE EDITOR

Hafeez Basha R*CAFET-INNOVA Technical Society*

MANAGING EDITOR

Raju Aedla*CAFET-INNOVA Technical Society*

EDITOR

INTERNATIONAL EDITORIAL ADVISORY BOARD**Zhuping Sheng***Texas A&M University System
USA***Choonam Sunwoo***Korea Inst. of Geo-Sci & Mineral
SOUTH KOREA***Hsin-Yu Shan***National Chio Tung University
TAIWAN***Hyun Sik Yang***Chonnam National Univ Gwangu
SOUTH KOREA***Krishna R. Reddy***University of Illinois, Chicago
USA***L G Gwalani***NiPlats Australia Limited
AUSTRALIA***Abdullah MS Al-Amri***King Saud University, Riyadh
SAUDI ARABIA***Suzana Gueiros***Dra Engenharia de Produção
BRAZIL***Shuichi TORII***Kumamoto University, Kumamoto
JAPAN***Luigia Binda***DIS, Politecnico di Milano, Milan
ITALY***Gonzalo M. Aiassa***Cordoba Universidad Nacional
ARGENTINA***Nguyen Tan Phong***Ho Chi Minh City University of
Technology, VIETNAM***Ganesh R. Joshi***University of the Rykyus, Okinawa
JAPAN***Kyriakos G. Stathopoulos***DOMI S.A. Consulting Engineers Athens,
GREECE***U Johnson Alengaram***University of Malaya, Kuala Lumpur,
MALAYSIA***Robert Jankowski***Gdansk University of Technology
POLAND***Paloma Pineda***University of de Sevilla, Seville
SPAIN***Vahid Nourani***Tabriz University
IRAN***Anil Cherian***United Arab Emirates
DUBAI***P Hollis Watts***WASM School of Mines
Curtin University, AUSTRALIA***Nicola Tarque***Department of Engineering
Catholic University of Peru***S Neelamani***Kuwait Institute for Scientific
Research, SAFAT, KUWAIT***Jaya naithani***Université catholique de Louvain
Louvain-la-Neuve, BELGIUM***Mani Ram Saharan***National Geotechnical Facility
DST, Dehradun, INDIA***G S Dwarakish***NITK- Surathkal
Karnataka, INDIA***Subhasish Das***IIT- Kharagpur, Kharagpur
West Bengal, INDIA***S Viswanathan***IIT- Bombay, Powai, Mumbai
Maharashtra, INDIA***K U Maheshwar Rao***IIT- Kharagpur, Kharagpur
West Bengal, INDIA***Ramana G V***IIT- Delhi, Hauz Khas
New Delhi, INDIA***Usha Natesan***Centre for Water Resources
Anna University, Chennai, INDIA***M R Madhav***JNTU- Kukatpally, Hyderabad
Andhra Pradesh, INDIA***Kalachand Sain***National Geophysical Research Institute,
Hyderabad, INDIA***R Sundaravadivelu***IIT- Madras
Tamil Nadu, INDIA***M K Nagaraj***NITK- Surathkal
Karnataka, INDIA***Arash Ebrahimabadi***Azad University, Qaemshahr
IRAN***S M Ramasamy***Gandhigram Rural University
Tamil Nadu, INDIA***Gholamreza Ghodrati Amiri***Iran University of Sci. & Tech.
Narmak, Tehran, IRAN***Chachadi A G***Goa University, Taleigao Plateau
Goa, INDIA***Girish Gopinath***Geomatics Division
CWRDM, Kerala, INDIA***Shamsher B. Singh***BITS- Pilani, Rajasthan
Rajasthan, INDIA***C Natarajan***NIT- Tiruchirapalli,
Tamil Nadu, INDIA***N Ganesan***NIT- Calicut, Kerala
Kerala, INDIA***Linhua Sun***Suzhou University
CHINA***Pradeep Kumar R***IIT- Gachibowli, Hyderabad
Andhra Pradesh, INDIA***Vladimir e Vigdergauz***ICEMR RAS, Moscow
RUSSIA*

D P Tripathy National Institute of Technology Rourkela, INDIA	E Saibaba Reddy JNTU- Kukatpally, Hyderabad Andhra Pradesh, INDIA	Chowdhury Quamruzzaman Dhaka University Dhaka, BANGLADESH
Parekh Anant kumar B Indian Institute of Tropical Meteorology, Pune, INDIA	Datta Shivane Central Ground Water Board Hyderabad, INDIA	Gopal Krishan National Institute of Hydrology Roorkee, INDIA
Karra Ram Chandar NITK- Surathkal Karnataka, INDIA	Prasoon Kumar Singh Indian School of Mines, Dhanbad Jharkhand, INDIA	A G S Reddy Central Ground Water Board, Pune, Maharashtra, INDIA
Rajendra Kumar Dubey Indian School of Mines, Dhanbad Jharkhand, INDIA	Subhasis Sen Retired Scientist CSIR-Nagpur, INDIA	M V Ramanamurthy Geological Survey of India Bangalore, INDIA
A Nallapa Reddy Chief Geologist (Retd.) ONGC Ltd., INDIA	Bijay Singh Ranchi University, Ranchi Jharkhand, INDIA	S Suresh Babu Adhiyamaan college of Engineering Tamil Nadu, INDIA
C Sivapragasam Kalasalingam University, Tamil Nadu, INDIA	Xiang Lian Zhou ShangHai JiaoTong University ShangHai, CHINA	Debadatta Swain National Remote Sensing Centre Hyderabad, INDIA
Kripamoy Sarkar Assam University Silchar, INDIA	Ranjith Pathegama Gamage Monash University, Clayton AUSTRALIA	B M Ravindra Dept. of Mines & Geology, Govt. of Karnataka, Mangalore, INDIA
Nandipati Subba Rao Andhra University, Visakhapatnam Andhra Pradesh, INDIA	M Suresh Gandhi University of Madras, Tamil Nadu, INDIA	Autar Krishen Raina CSIR-CIMFR, Maharashtra, INDIA
H K Sahoo Utkal University, Bhubaneswar Odissa, INDIA	R N Tiwari Govt. P G Science College, Rewa Madhya Pradesh, INDIA	Nuh Bilgin Istanbul Technical University Maslak, ISTANBUL
M V Ramana CSIR NIO Goa, INDIA	N Rajeshwara Rao University of Madras Tamil Nadu, INDIA	Manish Kumar Tezpur University Sonitpur, Assam, INDIA
Salih Muhammad Awadh College of Science University of Baghdad, IRAQ	Sonali Pati Eastern Academy of Science and Technology, Bhubaneswar, INDIA	Safdar Ali Shirazi University of the Punjab, Quaid-i-Azam Campus, PAKISTAN
Naveed Ahmad University of Engg. & Technology, Peshawar, PAKISTAN	Raj Reddy Kallu University of Nevada 1665 N Virginia St, RENO	Glenn T Thong Nagaland University Meriema, Kohima, INDIA
Raju Sarkar Delhi Technological University Delhi, INDIA	Jaya Kumar Seelam National Institute of Oceanography Dona Paula, Goa, INDIA	Samir Kumar Bera Birbal sahani institute of palaeobotany, Lucknow, INDIA
C N V Satyanarayana Reddy Andhra University Visakhapatnam, INDIA	S M Hussain University of Madras Tamil Nadu, INDIA	Vladimir Vigdergauz ICEMR, Russian Academy of Sciences Moscow, RUSSIA
T J Renuka Prasad Bangalore University Karnataka, INDIA	Deva Pratap National Institute of Technology Warangal, INDIA	K. Subramanian Coimbatore Institute of Technology Tamil Nadu, INDIA
Mohammed Sharif Jamia University New Delhi, INDIA	A M Vasumathi K.L.N. College of Inf. Tech. Pottapalayam, Tamil Nadu, INDIA	Deepak T J INTI International University Kuala Lumpur, MALAYSIA
C J Kumanan Bharathidasan University Tamil Nadu, INDIA	B R Manjunatha Mangalore University Karnataka, INDIA	M S Ravikumar Noorul Islam University Kanyakumari, INDIA
Ch. S. N. Murthy NITK- Surathkal Karnataka, INDIA	Jitendra Virmani Jaypee Uni. of Information Tech. Himachal Pradesh, INDIA	K Elangovan PSG College of Technology Coimbatore, INDIA
Vikram Vishal Department of Earth Sciences IIT Roorkee, INDIA	A K Verma Indian School of Mines Dhanbad, Jharkhand, INDIA	Saeed Khorram Eastern Mediterranean University Famagusta, CYPRUS

Zhuping Ping Sheng

Texas AgriLife Research &
Extension Center at El Paso, USA

V Madhava Rao

CGARD, NIRD & PR
Hyderabad, INDIA

Jayaprakash M C

MITE, Moodabidri
Karnataka, INDIA

INDEX

Volume 09	February 2016	No.01
RESEARCH PAPERS		
Effects of Moisture Content Variation on Shear Strength Properties of Flyash Samples		01
<i>By ABEBE MEKONNEN AND JANENDRA MANDAL</i>		
Development of Stability Criteria For Risk Reduction In the Sianok Canyon In Bukittinggi Indonesia		02
<i>By BAMBANG ISTIJONO AND ABDUL HAKAM</i>		
Heavy Metal Pollution In Surface Dust From Urban Squares In Suzhou, China: Total Concentrations, Speciation Analysis, and Health Risk		03
<i>By QI LI AND YAFEN HAN</i>		
Fresh and Hardened Properties of Glass Fiber Reinforced Self-Compacting Concrete with Flyash and Metakaolin Combination		04
<i>By JITHIN DAVID AND VASUDEV R</i>		
Trend Analysis of Rainfall in Southern Kerala based on Empirical Mode Decomposition		05
<i>By PRIYA PHILIP AND ADARSH S</i>		
Performace of eccentrically braced frames under the action of lateral load		06
<i>By RAMYA A, MUTHUMANI K AND NAFEEZ AHMED L</i>		
3D Reconstruction of Buildings from Classified LiDAR Point Cloud		07
<i>By ARUN R NATH AND RAMIYA A M</i>		
Leaching Characteristics of Fly Ash Generated From Suratgarh Thermal Power Plant		08
<i>By RAHUL DANDAUTIYA, PRANAV MAYEKAR, MADHUR TOSHNIWAL, AJIT PRATAP SINGH AND SANGHAMITRA KUNDU</i>		
Community Perceptions Towards The Causes of Flood In Air Pacah Area, Padang City, Indonesia		09
<i>By BAMBANG ISTIJONO, TAUFIKA OPHIYANDRI AND ANNISA ANNISA</i>		
Resistance To Wear, Durability And Micro Structural Properties of CBA As Sand Replacement In Mortar		10
<i>By MADHAV KADAM AND YOGESH PATIL</i>		
Adsorption of Pb²⁺ in waste-water by Biochars Derived from Different Crop Residues		11
<i>By YAFEN HAN AND QI LI</i>		
Remotely Sensed Aster and SRTM Dems Performance Analysis on Bhopal Terrain		12
<i>By RISHIKESHAN C A AND ARPITA BARONIA</i>		
Finite Element Analysis of Composite Slab with Intermediate Stiffeners		13
<i>By SHARDA SIDDH, YOGESH PATIL AND HEMANT PATIL</i>		

Oedometer Based Study on Collapse Potential of Cement Admixed Loess Soil 14
By NANDYALA DARGA KUMAR AND RAVIKANT R SINGH

**Fluoride concentration in groundwater: A case study from Ramanagaram taluk,
Karnataka, India** 15
By ATNI VENKATARAMAIAH GANESHA, C KRISHNAIAH AND L PRASANNA KUMAR



www.cafetinnova.org

Indexed in
Scopus Compendex and Geobase Elsevier, Geo-Ref
Information Services-USA, List B of Scientific Journals,
Poland,
Directory of Research Journals

**International
Journal
of Earth
Sciences
and Engineering**

ISSN 0974-5904, Volume 09, No 01

February 2016, PP. 09

Community perceptions towards the causes of flood in Air Pacaharea, PadangCity, Indonesia

BAMBANG ISTIJONO¹, TAUFIKA OPHIYANDRI¹, and AN NISA¹

¹*Civil Engineering Department, Engineering Faculty, Andalas University
Kampus Unand Limau Manis, Padang, Indonesia
Email: bistijono1452@yahoo.co.id, t_ophiyandri@yahoo.co.uk*

Abstract:

There is a rapid development in Air Pacah area since 1999. This area used to be a remote area and a retarding basin of Padang City. In 2011, it was designated as the new head quarter complex for Padang City government. One of the negative impact of its development was the increase of flood frequency. In order to mitigate the flood, government conducted a flood control project at Maransi River which passes this area. However, this project has not completed yet due to land acquisition problem. Accordingly, this paper aims to identify community perception on flood causes and into what extent the flood control project has benefited the community. Thirty semi-structure interviews were conducted between May and October 2015 and analysed using descriptive statistic and content analysis method. It was found that community feel that there has been an increase in flood frequency, flood depth, and flood duration. There are four dominant factors that have significant impact on flood, rain duration, low infiltration area, massive construction of real estates and offices, and bad drainage system. Community who live exactly next to the construction site has benefited from the flood control project, on the other hand community at the upstream has not feel the positive impact yet because the construction halted due to land acquisition problem. As a result, it is strongly recommended that government to immediately acquire the land needed for the flood control project.

Keywords: community perception, flood, flood causes, flood control, land acquisition

1. Introduction

Air Pacah is a new developed area at the east of Padang City (0°57'0"S; 100°21'11"E). The development was marked by the construction of Padang Bypass Road and Bus Terminal in 1999. In 2011, this area was designated as the new head quarter complex for Padang City government. Since then, massive construction of new government building, universities, hospitals, private office and real estate was took place.

As a results, it seems there is an increase of flood frequency in this area. As noted by Istijono [1], there has been 12 flood occurrences between 2011 and 2013 in Air Pacah. Damage and losses into property, economic disruption, fatalities are evitable. Fig 1 shows where Padang Bypass road can not be passed by vehicle.

To overcome the problems, government has tried to mitigate flood events, one of them is by carrying out a flood control project in Maransi River and Luruih River which pass through Air Pacah area. The construction of this project was planned for 2200 meters long and implemented from 2012 to 2014 by Water Resources Department of West Sumatra Province. However, due to

land acquisition problem by the Government of Padang City, river widening work can only be carried out for 840 meters. As a result, the expected benefit of the flood control project is not optimal. Accordingly, the purpose of this paper is to find out how the public perception of flood events that occurred in the area of Air Pacah and into what extent community perceived the benefits of the flood control project.



Figure 1. Flood at Padang Bypass road

2. Literature Study

2.1. Flood, Causes, and Mitigation

According to BNPB [2] flood is water runoff which exceed its normal confines, Istijono [1] adds that flood process can be explained. Menurut Istijono [1] the occurrence of flooding can be explained by looking at surface run-off which is equal to the total volume of rainwater deducted by interception of water, water infiltration, water storage, water evaporation, and plant transpiration. This factor can be simplified into:

$$AP = VH - (C + R + T) \quad (1)$$

where AP is the flow of surface water, VH is the volume of rainwater, C is water interception, R is infiltration area, and T is water reservoir.

The value of AP will be greater if the value of C, R and T are small, and vice versa AP value will be small if the value of C, R and T are large. The greater the flow of surface water, the greater the potential of flooding event, and if AP exceeds the carrying capacity of the river then flood will occur.

In more detail Kodoatie and Sugiyanto[3] classify the causes of flooding into two factors, natural factors and human factors. Naturally the cause of flood is heavy rainfall, the effect of physiography, erosion and sedimentation, low capacity of rivers, inadequate drainage capacity, and the influence of tide. While the

causes of flood due to human actions are the changing conditions of river bank, slums area, litter, dams, damage to flood control building, and inappropriate flood control systems.

For flood control, further Kodoatie and Sugiyanto[3] explain that there are two approaches can be made, non-structural and structural methods. Non-structural methods include watersheds management, land use regulation, erosion control in the watershed, flood warning system, and legal approach. While the structure method include by construction of dams, retention ponds, check dams, reducing the slope of a stream, river improvement, diversion, and construction of embankment.

2.2. Flood in Padang City

Padang City is the capital of West Sumatra province. Administratively, the city of Padang is composed of 11 districts and 104 villages. According to BPS [4] the population of Padang City in 2014 is 876.678 inhabitants and population density is 1261 inhabitants/km². In 2013, the rate of precipitation of Padang reached an average of 347.50 mm per month with an average of 18.83 days of rainy days per month.

As Padang city is located in lowlands with relatively flat topography and next to the beach, and is passed by five major rivers and 16 small rivers, the city was frequently inundated by flood. Indonesian disaster data and information (DIBI) [5] notes that from 2002 to 2015 there has been 32 occurrences of floods in Padang City. One of the area which is often flooded is Air Pacah area.

Most recent flood events are flood on March 16, 2008 at Kuranjir river and Limau Manis river, flood on 24 July 2012 and 12 September 2012 (Hidayat, [6]). The last flood event have pushed some houses to be relocated to a safer place. On Wednesday, September 4, 2013 floods in Air Pacah caused Padang Bypass road impassable (Figure 1) and lead to Padang City Hospital patients had to be evacuated (Figure 2).

2.3. Flood Control

Flood control structure has been carried out Padang City dating back during Dutch colonial era which marked by the construction of Banda Batang Bakali (digging river). This project is carried out to divert some of the flow of Arau River which passing through the trade center of Padang at the time.



Figure 2. Flood in Local Hospital of Padang City in Air Pacah area

Considering the frequent occurrence of flood in Padang City, a comprehensive study was undertaken for flood prevention in 1983. This study was conducted by JICA (Japan International Cooperation Agency) namely Padang Area Flood Control Project. This project aims to conduct a thorough study of flood control, drainage plans, and feasibility studies to identify and prioritize activities to be implemented. Results of the study has become the basis of a flood control project in Padang city (JICA, [7]).

Some projects that have been implemented for flood control in Padang city are normalization of Flood Canal and BatangArauriver in 1992-1997, Kuranji river normalization, Padang coast defence system, and the most current flood control project, Maransi river year 2012-2014.

2.4. Community Perception

According to Bahasa Indonesia dictionary (KKBI) [8], perception can be interpreted as a response (acceptance) directly from something or what someone knows through the senses. Referring to this definition, community perception is how community perceived the flood events that occurred in the area of Air Pacah.

3. Case Study

Case study on this research is associated with the flood control project at Luruih/MaransiRiver in Air Pacah area. With this project, it is expected that Air Pacaharea as the

center of Padang City would be a flood-free areas. The consequence is that the government should increase LuruihRiver and MaransiRiver capacity so it will be able to accommodate the flood discharge over a period of 25 years 120 m³/sec and 34 m³/sec respectively.




Figure 3. Project layout and land acquisition. (source: Dinas PSDA Sumbar)

The detail location of the project is shown in Figure 3. The funding is come from the West Sumatra provincial budget with a contract value of Rp. 30 billion (USD \$ 2.5 million), implemented with a multi-year contract from 7 December 2012 until 6 November 2014. Initial plan was to conduct 2400 m river normalization. However, due to land acquisition problem, the project can only be carried out along 840 meters. Chronologically, the distance of land that can be acquired is 150 meters in 2012, 250 meters in 2013, and 440 meters in 2014.

Forms of activities that have been carried out from 2012 to 2014 include the construction of estuaries, dike and canal wall (Figure 4).



Figure 4. Luruih River normalisation project

(source: Dinas PSDA Sumbar)

4. Methodology

This paper was a further development from a preliminary research regarding community perception at AiaPacah area (see Ophiyandri et al., [9]). Previous study was conducted using 20 respondents which become an issue on its validity and reliability. As a result, this study was resulted from 30 semi-structure interviews. The interviews were conducted between May and October 2015. Sampling method used is a purposive sampling, where the respondents has to be lived in Air Pacah area before 1999.

Respondents profile is shown in Table 1. It can be seen that the average age of respondents is 43.4 years and majority respondents have lived in this area more than 35years. None of respondents graduated from university and majority of them working as a farmer.

The interview guideline is structured into four sections, where the first section is about respondents details, and the second and the fourth sections are about community perception towards flood based on time occurrences, before 1999, between 1999 and 2012 (before the flood control project begin), and after 2012. Respondents were invited to share their opinion about flood causes, frequency, impact, and especially for questions after 2012 respondents were asked whether they already have benefited from the project. For this section, the area is divided into three: (1) Kuraopagang where the construction project was exactly taken place, (2) GunungSangku, 1.5 km upstream from construction area and at the west of Padang Bypass road, and (3) BatangLuruih, 2.5 km upstream from construction area and the east side of Padang Bypass road. From 30 respondents, 11 respondents live in Kuraopagang, 10 respondents live in GunungSangku, and 9 respondents live in BatangLuruih. Further, data was analysed using descriptive statistics and content analysis.

Table 1. Respondent profile

Age (years)		Lived in Air Pacah (years)		Educational Background		Occupation	
Description	Age	Description	Total	Description	Total	Description	Total
Min	22	0-20	1	Non educated	1	Businessman	7
Max	75	20-35	8	Elementary	10	Farmer	14
Average	43.4	35-55	11	Junior High Sc	10	Housewife	8
		>55	10	Senior High Sc	9	Others	1

5. Results and discussion

5.1. Frequency and Flood Height

Community perception towards flood frequency and flood depth were shown in Figure 5 and Figure 6. It can be seen from Figure 5 that before 1999, 77% of respondents said that flood was rarely occurred in Air Pacah. However, after 1999, majority of respondents (43%) claim that flood was always occurred, and unexpectedly 27% of them said that flood occurred every time rain poured. It implies that the flood frequency increase significantly.




Figure 5. Community perception towards flood frequency




Figure 6. Community perception towards flood depth.

Figure 6 shows the average of flood depth according to community. Before 1999, 70% of respondents said that

the average of flood depth is less than 50 cm. After 1999, respondents which say that the average depth was less than 50 cm decrease into 43%. Majority of respondents said that the flood depth was between 0.5 and 1 meter.

Respondents were also asked about the maximum height of flood and flood duration. According to them, there is an increase in the average of highest flood depth, from 28 cm before year 1999 to 71 cm after year 1999. The time of flood duration also rise from 4.7 hours before year 1999 to 13.3 hours after year 1999.

5.2. Flood Causes

Table 2 shows the causes of flood according to community perceptions. From 8 factors introduced, at the time period before 1999, only one factor has an extremely significant impact to flood, which is 'a long time rain duration'. Sixty five percent of respondents agrees with this opinion. At the time period after 1999, majority of respondents said that there are four factors classified as an extremely significant contribution to flood. They are 'long rain time duration', 'low infiltration area', 'many residential areas and offices building', and 'bad drainage system'.

There is a significant shift on three factors according to time analysed (before 1999 and after 1999), namely low infiltration area due to the construction, the increasing number of residential area and office buildings, as well as bad drainage system. The last is inline with Kamil [10]. In the period before 1999, people thought that the lack of water infiltration areas and the rapid development as a factor that 'not significant at all'. This factor increases to 'extremely significant' and 'very significant' respectively in the period after 1999. While the drainage conditions transform from 'significant' to 'extremely significant'.

Furthermore, the public perception of the length of rain time, deforestation, and the will of God is not shifted between categories before and after 1999. The length of rain time is still considered as a factor that "extremely significant", while deforestation and God's will destiny remain in the 'significant' category.

Table 2. Percentage of community perception to the causes of flood (before and after 1999)

Causes of flood	Not significant at all		Slightly significant		Significant		Very significant		Extremely significant	
	<99	≥99	<99	≥99	<99	≥99	<99	≥99	<99	≥99
- Long time rain duration	0.0	0.0	0.0	3.3	6.7	3.3	33.3	6.7	60.0	86.7
- Low infiltration area	36.7	0.0	26.7	3.3	26.7	10.0	10.0	13.3	0.0	73.3
- Many residential areas and office building	43.3	0.0	43.3	6.7	6.7	3.3	3.3	46.7	3.3	43.3
- Bad drainage system	6.7	0.0	33.3	6.7	40.0	20.0	13.3	16.7	6.7	56.7
- Deforestation at river upstream	3.3	3.3	33.3	20.0	63.3	66.7	0.0	6.7	0.0	3.3
- lack of public awareness to preserve the river	43.3	0.0	16.7	43.3	36.7	56.7	3.3	0.0	0.0	0.0
- throwing garbage into river and sewers	46.7	20.0	33.3	46.7	13.3	33.3	3.3	0.0	3.3	0.0
- God's will	0.0	0.0	3.3	3.3	93.3	86.7	0.0	3.3	3.3	6.7

5.3. Impact of flood control project

This section will discuss what the respondents' perceptions on flood control and the impact that they have felt since project construction. As explained in the methodology section, for this section the study area is divided into three locations. All respondents stated that they had been aware of the activities, which in general they know from other community (60%) with 13 % stating that they know from a socialization carried out by the government.

Since the flood control project was implemented only 9 respondents (30 %) stating that there has been a decrease in the frequency of flood in this area, and all of stating this is that people who live in the area KuraoPagang (near the project site). Respondent 1 states that:

"... In the past, prior to this project, we experienced flood, water inundated a lot of places, our rice fields were flooded and sometimes washaway. After the construction, when raining, water flows smoothly and does not block anymore."

Respondent 2 added that there is a decrease in flood height level. He stated:

"Since the flood control project taking place, we were not experiencing flood anymore. Before, the flood height was three hollow brick, but now less than one hollow brick"

Meanwhile, for community living in Region 2 and Region 3, none of them stating that there has been a

decrease in flood frequency. Respondent 3 complained as follows :

"When its rain for 3 hours, rain is turning into pond. Padang bypass roas blocked the water flow, causing floods' .

Respondent 4 adds :

"In the past, flood only happened when its raining for all day, but now, only a few hours our area becoming flooded, as height as adult's knee. In Junior High School 27, the flood was higher, forced the school to close."

From above, it can be stated that the people who live close to the flood control project already feel the benefits of this project. Community at this location perceive that there has been a decrease in the intensity of floods. While those who are at a bit far from the project site (toward upstream) have not yet benefited from this activity. Considering this benefits, then it is highly recommended that the government to immediately do land acquisition programme.

6. CONCLUSION AND RECOMMENDATION

6.1. Conclusion

It can be concluded that:

1. The community perceives that there has been an increase in flood frequency, flood height, as well as the length of flood time between the period before 1999 compared to the period after 1999 .

2. Prior to the rapid development in Air Pacah area, factors that have extremely significant impact on flood is just the length of rainy time. While after 1999, there are four very influential factors on the occurrence of flood, the length of rainy time, lack of water infiltration areas, the number of residential area and office buildings , as well as poor drainage conditions
3. Community who live near the location of flood control already feel the positive impact of this project. While community who live slightly upstream from the project site has yet to feel the benefits of this project.

6.2. Recommendation

The construction of Maransi River flood control project was hampered by land acquisition. By looking at the benefit that already felt by some community, it is strongly suggested that the government of Padang City to immediately acquire the land needed for flood control project.

7. REFERENCES

- [1] Istijono, B. (2014) The Obstacles of Infrastructure Project: Case Study on Flood Control Project in Air Pacah (in Bahasa: Hambatan Pembangunan Infrastruktur Akibat Pembebasan Lahan: Kasus Pekerjaan Pengendalian Banjir Kawasan Air Pacah Kota Padang). Proceeding 1st Andalas Civil Engineering National Conference, 27 November 2014, Padang.
- [2] BNPB (2013) Indonesia Disaster Risk Index (in Bahasa: Indeks Risiko Bencana Indonesia (IRBI) Tahun 2013. Badan Penanggulangan Bencana Indonesia (BNPB).
- [3] Kodoatie, R. J. dan Sugiyanto, 2002. Flood: causes and mitigation on environment perspective (In bahasa: Banjir: Beberapa penyebab dan metode pengendaliannya dalam perspektif lingkungan,) Pustaka Pelajar, Yogyakarta.
- [4] BPS (2015) Padang in Numbers 2014 (in Bahasa: Padang dalam Angka 2014. http://padangkota.bps.go.id/vertwo/index.php?hal=publikasi_detil&id=11 pdf [accessed on 20 Juni 2015]
- [5] DIBI (2015) Indonesia Disaster data and Information (In Bahasa: Data dan Informasi Bencana Indonesia). <http://dibi.bnpb.go.id/data-bencana/lihat-data/per-halaman=100;halaman=1> pdf [accessed on 15 Juli 2015]
- [6] Hidayat, B (2014) Understanding Flood in Padang City with Content Analysis of News Article. (in Bahasa: Memahami Bencana Banjir di Kota Padang dengan Content Analysis Artikel Berita). XXXI HATHI Conference, 22-24 August 2014, Padang
- [7] JICA (1983) Study Report on Padang Area Flood Control Project. Japan International Cooperation Agency (JICA).
- [8] KKBI (2015) Indonesia Dictionary (In Bahasa: Kamus Besar Bahasa Indonesia. <http://kbbi.web.id/persepsi>. [accessed on 15 Juli 2015]
- [9] Ophiyandri, T., Istijono, B., Annisa, Musri, A., Daus, S. and Yuhendra, R. (2015) Community Perception on Flood in Air Pacah Area Padang City, XXXII Annual Scientific Meeting of the Association of Indonesian Hydraulic Engineer, Malang, Indonesia, 6-8 November 2015.
- [10] Kamil, I., Alias, B., Mohammed, A. H., Putri, N. T., and Kalani, C. (2013). Design of Performance Evaluation Tools for Drainage of Roads System in Developing Country (Case Study: Drainage System for City Roads in Padang, Indonesia). In Proceedings of 12th International Symposium on The Analytic Hierarchy Process/Analytic Network Process (ISAHP 2013).